



### Технические характеристики

|                             |                          |               |       |
|-----------------------------|--------------------------|---------------|-------|
| Напряжение                  | U                        | 230           | V     |
| Число фаз                   |                          | 1             | ~     |
| Частота                     | f                        | 50            | Hz    |
| Частота вращения            | n                        | 905           | RPM   |
| Потребляемая мощность       | P <sub>e</sub>           | 605           | W     |
| Номинальный ток             | I <sub>nom</sub>         | 2.7           | A     |
| Максимальный ток            | I <sub>max</sub>         | 3.6           | A     |
| Сos ф                       |                          | 0.97          |       |
| Конденсатор                 |                          | 16/400        | μF/V  |
| Температура среды           | T <sub>amb min/max</sub> | -13...104     | °F    |
| Класс изоляции              |                          | CL.F          |       |
| Степень защиты IP           |                          | IP55          |       |
| Звуковое давление (6.6 фут) | L <sub>p</sub> изм.      | 72            | dB(A) |
| Звуковое давление (23 фут)  | L <sub>p</sub> p.        | 61            | dB(A) |
| Масса                       |                          | 67.6          | Lbs.  |
| Размеры упаковки            |                          | 41.7x40.6x7.5 | inch  |

### Конструкция вентилятора


|                          |    |
|--------------------------|----|
| Число лопастей           | 3  |
| Тип рабочего колеса      | 8  |
| Система рабочего колеса  | G  |
| Материал рабочего колеса | PG |

### Возможности управления

|                       |     |
|-----------------------|-----|
| Симисторный регулятор | Да  |
| Трансформатор         | Да  |
| Частотный регулятор   | Нет |

### Аэродинамические характеристики

|             |           |
|-------------|-----------|
| 0.00 in. wg | 13250 CFM |
|-------------|-----------|



Изображение может отличаться от изделия

### Маркировка соответствия




График: Volume Flow Rate - расход воздуха; Static Pressure - статическое давление.

L<sub>p</sub> изм. - измеренный уровень; L<sub>p</sub> p. - расчётный уровень звукового давления.

Русская версия АГРОМАКС | [vostermans.su](mailto:vostermans.su) | [info@agromax.ru](mailto:info@agromax.ru)

Схема подключения  
С1 - 1 фаза - Стандарт - CCW

S0000010695A



Размеры

|      |           |
|------|-----------|
| A01: | 35.6 inch |
| A03: | 38.7 inch |
| A13: | 10.0 inch |
| A14: | 16.7 inch |
| A29: | 1.1 inch  |
| A30: | 4.5 inch  |

The image contains two technical drawings of a Vostermans Basket Fan. The left drawing is a top-down view of the circular fan grille, showing a central hub with four mounting points and a radial pattern of slats. A dimension line labeled 'A01' indicates the diameter of the outer grille. The right drawing is a side profile view of the fan assembly, showing the grille, the internal motor housing, and the mounting bracket. Dimension lines are labeled as follows: 'A03' for the total height of the fan assembly, 'A13' for the height of the grille, 'A14' for the height of the motor housing, 'A29' for the height of the mounting bracket, and 'A30' for the height of the mounting flange. The diameter of the grille is also labeled as 'Ø A01'.

Русская версия АГРОМАКС | [vostermans.ru](http://vostermans.ru) | [info@agromax.ru](mailto:info@agromax.ru)

**VOSTERMANS**  
VENTILATION

Vostermans Ventilation B.V.  
Венло - Нидерланды  
+31 (0)77 389 32 32  
[ventilation@vostermans.com](mailto:ventilation@vostermans.com)

Vostermans Ventilation Inc.  
Блумингтон, Иллинойс - США  
+1 309 827 9798  
[ventilation@vostermansusa.com](mailto:ventilation@vostermansusa.com)

Vostermans Ventilation Ltd. Co.  
Шанхай - Китай  
+86 21 5290 2889/2899  
[ventilation@vostermanschina.com](mailto:ventilation@vostermanschina.com)

Vostermans Ventilation Sdn. Bhd.  
Tmn Klang Jaya - Малайзия  
+60 (0)33324 3638  
[ventilation@vostermansasia.com](mailto:ventilation@vostermansasia.com)